



THE PERFECT ADDITION

ROOF CUPOLAS



CURVED • STRAIGHT • LOUVERED • LITED


CUPOLAS & VENTS

plyco.com

EASY ASSEMBLY


Roof **CUPOLAS** Features

The PLYCO Roof Cupolas provide options for Curved Roof, Straight Roof, Louvered Sides, Lited Sides, Premium Mounting Curb Bases and more so you will always get the perfect look for any applications. The cupolas arrive knocked down for economical shipping and are easy to assemble and install.



- 24" and 36" cupolas are constructed of 29 gauge prepainted steel.
- 48" cupola is constructed with 26 gauge prepainted steel.
- Prepainted galvalume steel construction with color combinations that match many roll-formed steel colors. Please specify roll-former when ordering color.
- Assembles on job site in minutes with slide on, interlocking metal connectors for straight or curved roof wall sections.
- Available in louvered or patented lited sides with steel corner gussets for enhanced structural integrity.
- Plyco cupolas are designed for both decorative and ventilation use. Vented applications are not considered waterproof.

Popular Colors for Roof, Louvered Sides, Corners and the Base:



Polar White



Charcoal



Hickory
Moss



Burgundy



Chocolate
Brown



Evergreen



Bright Red



Bronze

Other colors available, ask representative for details.

ROOF CUPOLAS

For All Applications

Agriculture
Equestrian
Garages & Shops
Commercial
Residential




COMPLETE ASSEMBLED BASE UNIT with PBT

This option is made from Heavy 20 ga G-90 Galvanized Steel



NO RUST

Stable metal connections for non-rusting, permanent construction.



BIRD SCREEN

A screen is included to mount on the curb, keeping out the birds

KEY FEATURES

- Optional Curb Cap for non-vented use.
- Galvanized steel internal gussets for diagonal strength
- Patented, updated lited side design features Plyco manufactured, acrylic glazed white aluminum windows installed in each side for lited option, with or without grids.
- Packaged knocked down for economical shipping
- Convenient 1-piece packaging for 24" and 36" cupolas, 2-piece for 48" for easier handling and job-site use

ROOF CUPOLAS & OPTIONS

STANDARD SIZES

	Model 240	Model 360	Model 480
Base	24" x 24"	36" x 36"	48" x 48"
Side Height	16"	21"	28"
Roof Height	15"	21"	28"
Overall Height	31"	42"	56"
Free Area (Sq. In.)	250	560	990
Roof Overhang	2"	3"	3"

WEATHERVANES:

Attach to cupola roof cap. 29" Height for Models #240 and #360
42" Height for Model #480
Various designs available.




CURVED ROOF:

MW-247CRO-24" model
MW-367CRO-36" model
MW-487CRO-48" model



STRAIGHT ROOF:

MW-240RO-24" model
MW-360RO-36" model
MW-480RO-48" model




LOUVERED SIDES:

MW-245SI-24" model
MW-365SI-36" model
MW-485SI-48" model

LITED SIDES:

MW-246LSPLX-24"
MW-246LSPLG-24" w/grids
MW-366LSPLX-36"
MW-366LSPLG-36" w/grids
MW-246LSPLX-48"
MW-246LSPLG-48" w/grids




OPTIONAL CURB CAP:

MW-248CURB
MW-368CURB
MW-488CURB




OPTIONAL PREMIUM BASE TRIM:

MW-241PBT-XXXX
MW-361PBT-XXXX
MW-481PBT-XXXX




OPTIONAL PREMIUM ASSEMBLED BASE:

Must specify pitch when ordering. (#)
MB-242/#-XXXX
MB-362/#-XXXX
MB-482/#-XXXX



6-PIECE BASE FLASHING:

Standard 3/12 or 4/12 pitch, please specify. Any other pitch, special order.
MW-241-24" model
MW-361-36" model
MW-481-48" model



PLYCOTM
CORPORATION
ELKHART LAKE, WI • 800.558.5895

Because of its ongoing commitment to product improvement, Plyco Corporation reserves the right to change, without notice, product specifications, availability, prices and conditions of sale.